Certificate of Analysis

Final Product: Cannabidiol Isolate Blend 3
Lot Number: L2606I025B
Date of Manufacture: June 2026 Expiration: June 2028

MILE HIGH LABS

To view the certificate of analysis for this product, scan the QR code or visit coa.milehighlabs.com and enter the lot number.

AT A GLANCE	Organolpetics PASS	Potency PASS	Residual Solvents PASS	Elemental Impurities PASS	Mycotoxins PASS	Microbials PASS	Pesticides PASS

Test		Methodology	Specification	Test Results	Pass/Fail
Color and Appearance		TM-004[1] / Contract Lab[2]	White, crystalline powder free of particulates	Conforms	PASS
CBD Potency (% w/w)	(% w/w)	Contract Lab[2]	≥ 98.0%	99.7 %	PASS
THC Content (% w/w)	THC(% w/w)	Contract Lab[2]	≤ 0.050%	ND	PASS
	THCA(% w/w)	Contract Lab[2]	≤ 0.050%	ND	PASS
	Total (THC + THCA* 0.877)(% w/w)	Contract Lab[2]	≤ 0.050%	ND	PASS
Related Cannabinoid Content (w/w)	CBN(% w/w)	Contract Lab[2]	≤ 0.050%	< LOQ[5]	PASS
	d8-THC(% w/w)	Contract Lab[2]	≤ 0.050%	ND	PASS
	THCVA(% w/w)	Contract Lab[2]	≤ 0.050%	ND	PASS
	THCV(% w/w)	Contract Lab[2]	≤ 0.050%	ND	PASS
	CBC(% w/w)	Contract Lab[2]	Report	ND	PASS
	CBDA(% w/w)	Contract Lab[2]	Report	ND	PASS
	CBDVA(% w/w)	Contract Lab[2]	Report	ND	PASS
	CBDV(% w/w)	Contract Lab[2]	Report	0.404 %	PASS
	CBGA(% w/w)	Contract Lab[2]	Report	ND	PASS
	CBG(% w/w)	Contract Lab[2]	Report	ND	PASS
	CBL(% w/w)	Contract Lab[2]	Report	ND	PASS
	CBCA(% w/w)	Contract Lab[2]	Report	ND	PASS
	Total (Sum of all observed RCs) (% w/w)	Calculated[3]	Report	0.404 %	PASS
Total Cannabinoids (CBD plus total RCs)(%w/w)	(% w/w)	Calculated[3]	Report	100.1 %	PASS
Residual Solvents	Acetone	Contract Lab[2]	< 1000 ppm	ND	PASS
	Benzene	Contract Lab[2]	< 2 ppm	ND	PASS
	Butanes	Contract Lab[2]	< 100 ppm	ND	PASS
	Ethanol	Contract Lab[2]	< 5,000 ppm	ND	PASS
	Ethyl Acetate	Contract Lab[2]	< 1,000 ppm	ND	PASS
	Heptanes	Contract Lab[2]	< 1,000 ppm	138.06 ppm	PASS
	Hexane	Contract Lab[2]	< 10 ppm	ND	PASS
	Isopropyl Alcohol	Contract Lab[2]	< 1,000 ppm	ND	PASS
	Methanol	Contract Lab[2]	< 100 ppm	ND	PASS
	Pentane	Contract Lab[2]	< 150 ppm	ND	PASS
	Propane	Contract Lab[2]	< 100 ppm	ND	PASS
	Toluene	Contract Lab[2]	< 20 ppm	ND	PASS
	Total Xylenes (m, p, o-xylenes)	Contract Lab[2]	< 40 ppm	ND	PASS

Specification: FP-001 Revision: v18.0

697 N. Denver Ave, Ste. 132 Loveland, CO 80537

US Sales
sales@milehighlabs.com
+1 (833) 223-1011

UK Sales
saleseu@milehighlabs.com
+44 (0) 28 9099 5253

The information described above is offered solely for your consideration, investigation, and independent verification. It is up to you, the customer, to decide whether and how to use this information. Mile High Labs or any of its affiliates (the "Company") makes no representations or warranties about the suitability of any of the Company's products for your specific intended use or any use whatsoever. Furthermore, all express or implied warranties of non-infringement, merchantability, or fitness for a particular purpose are hereby and completely disclaimed. The Company expressly disclaims any responsibility whatsoever for any alleged liability or damage(s) arising out of customer's use of any of the Company's products or relating to any of the foregoing. The results of this report relate only to the material or product analyzed. All contract laboratories are accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.

Certificate of Analysis

Final Product: Cannabidiol Isolate Blend 3
Lot Number: L2606I025B
Date of Manufacture: June 2026 Expiration: June 2028

MILE HIGH LABS

To view the certificate of analysis for this product, scan the QR code or visit coa.milehighlabs.com and enter the lot number.

Test		Methodology	Specification	Test Results	Pass/Fail
Elemental Impurities	Arsenic	Contract Lab[2]	< 1.5 ppm	ND	PASS
	Cadmium	Contract Lab[2]	< 0.5 ppm	ND	PASS
	Lead	Contract Lab[2]	< 0.5 ppm	ND	PASS
	Mercury	Contract Lab[2]	< 1.5 ppm	ND	PASS
Mycotoxins	B_1 (AFB_1)	Contract Lab[2]	< 2 ppb	ND	PASS
	B_2 (AFB_2)	Contract Lab[2]	< 0.5 ppb	ND	PASS
	G_1 (AFG_1)	Contract Lab[2]	< 0.5 ppb	ND	PASS
	G_2 (AFG_2)	Contract Lab[2]	< 0.5 ppb	ND	PASS
	Ochratoxin A	Contract Lab[2]	< 1.0 ppb	ND	PASS
	Total (B_1+B_2+G_1+G_2)	Contract Lab[2]	< 20 ppb	ND	PASS
Microbials	Salmonella spp.	Contract Lab[2]	Absent in 25 g	Absent / 25 g	PASS
	Shiga-toxin Producing E. Coli	Contract Lab[2]	Absent in 25 g	Absent / 25 g	PASS
	Total coliforms	Contract Lab[2]	< 100 cfu/g	< 10 CFU / g	PASS
	Total aerobic plate count	Contract Lab[2]	< 10,000 cfu/g	< 100 CFU / g	PASS
	Total yeast and mold	Contract Lab[2]	< 1,000 cfu/g	< 10 CFU /g	PASS
Pesticides	Individual Pesticide Content	Contract Lab[2]	Individual Pesticide Limit[4]	Conforms	PASS

[1]MHL in-house method.
[2]All contract lab testing is performed by labs that are ISO 17025 and CDPHE certified.
[3]Calculations performed by MHL Quality.
[4]Refer to tables below for individual pesticides and associated limits.
[5]LOQ is 0.05 % w/w, LOD is 0.015 % w/w

ACS Residual Pesticide Limits (ppm)

Abamectin	< 0.25	Cypermethrin	< 0.01	Fipronil	< 0.01	Permethrin	< 0.50	Tetramethrin	< 0.10
Acephate	< 0.05	Cyprodinil	< 0.01	Flonicamid	< 0.025	Phenothrin	< 0.05	Thiabendazole	< 0.02
Acequinocyl	< 0.03	Daminozide	< 0.10	Fludioxonil	< 0.01	Phosmet	< 0.02	Thiacloprid	< 0.01
Acetamiprid	< 0.05	Deltamethrin	< 0.50	Fluopyram	< 0.01	Piperonyl Butoxide	< 1.25	Thiamethoxam	< 0.01
Aldicarb	< 0.5	Diazinon	< 0.02	Hexythiazox	< 0.01	Pirimicarb	< 0.01	Thiophanate-methyl	< 0.05
Allethrin	< 0.1	Dichlorvos	< 0.05	Imazalil	< 0.01	Prallethrin	< 0.05	Trifloxystrobin	< 0.01
Atrazine	< 0.025	Dimethoate	< 0.01	Imidacloprid	< 0.01	Propiconazole	< 0.01		
Azadirachtin	< 0.5	Dimethomorph	< 0.05	Iprodione	< 0.50	Propoxur	< 0.01		
Azoxystrobin	< 0.01	Dinotefuran	< 0.05	Kinoprene	< 1.25	Pyraclostrobin	< 0.01		
Benzovindiflupyr	< 0.01	Diuron	< 0.125	Kresoxim-methyl	< 0.15	Pyrethrins	< 0.05		
Bifenazate	< 0.01	Dodemorph	< 0.05	(Lambda) Cyhalothrin	< 0.25	Pyridaben	< 0.02		
Bifenthrin	< 1.00	Endosulfan sulfate	< 2.5	Malathion	< 0.01	Pyriproxyfen	< 0.01		
Boscalid	< 0.01	Endosulfan-alpha	< 2.5	Metalaxyl	< 0.01	Quintozene	< 0.02		
Buprofezin	< 0.02	Endosulfan-beta	< 2.5	Methiocarb	< 0.01	Resmethrin	< 0.05		
Carbaryl	< 0.025	Ethoprophos	< 0.01	Methomyl	< 0.025	Spinetoram	< 0.01		
Carbofuran	< 0.01	Etofenprox	< 0.05	Methoprene	< 2.00	Spinosad	< 0.01		
Chlorantraniliprole	< 0.02	Etoxazole	< 0.15	Mevinphos	< 0.025	Spiriclofen	< 0.25		
Chlorphenapyr	< 1.5	Etridiazole	< 0.15	MGK-264	< 0.05	Spiromesifen	< 3.0		
Chlorpyrifos	< 0.5	Fenhexamid	< 0.01	Myclobutanil	< 0.01	Spirotetramat	< 0.01		
Clofentezine	< 0.01	Fenoxycarb	< 0.01	Naled	< 0.10	Spiroxamine	< 0.10		
Clothianidin	< 0.025	Fenpyroximate	< 0.01	Novaluron	< 0.025	Tebuconazole	< 0.01		
Coumaphos	< 0.01	Fensulfothion	< 0.01	Oxamyl	< 1.5	Tebufenozide	< 0.01		
Cyantraniliprole	< 0.01	Fenthion	< 0.01	Paclobutrazol	< 0.01	Teflubenzuron	< 0.025		
Cyfluthrin	< 0.20	Fenvalerate	< 0.01	Parathion-methyl	< 0.05	Tetrachlorvinphos	< 0.01		

Specification: FP-001 Revision: v18.0

697 N. Denver Ave, Ste. 132 Loveland, CO 80537

Natalie Marks — Quality Associate II — Aug 28, 2026
Prepared by — Date

Hadassa Villalobos — Quality Manager — Aug 28, 2026
Approved by — Date

US Sales
sales@milehighlabs.com
+1 (833) 223-1011

UK Sales
saleseu@milehighlabs.com
+44 (0) 28 9099 5253

The information described above is offered solely for your consideration, investigation, and independent verification. It is up to you, the customer, to decide whether and how to use this information. Mile High Labs or any of its affiliates (the "Company") makes no representations or warranties about the suitability of any of the Company's products for your specific intended use or any use whatsoever. Furthermore, all express or implied warranties of non-infringement, merchantability, or fitness for a particular purpose are hereby and completely disclaimed. The Company expressly disclaims any responsibility whatsoever for any alleged liability or damage(s) arising out of customer's use of any of the Company's products or relating to any of the foregoing. The results of this report relate only to the material or product analyzed. All contract laboratories are accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.